

Text Normalization

Chapter 2
(2.1 – 2.4)

Basic Text Processing

Regular Expressions

Regular expressions

- A formal language for specifying text strings
- How can we *search* for any of these?
 - woodchuck
 - woodchucks
 - Woodchuck
 - Woodchucks

 - Ill vs. illness
 - color vs. colour



Example

- Does `$> grep "elect" news.txt` return every line in a file called news.txt that contains the word "elect"

`elect`

Misses capitalized examples

`[eE]lect`

Incorrectly returns `select` or `electives`

`[^a-zA-Z][eE]lect[^a-zA-Z]`

Errors

- The process we just went through was based on **fixing two kinds of errors**
 - Matching strings that we should not have matched (**there, then, other**)
 - **False positives (Type I)**
 - Not matching things that we should have matched (The)
 - **False negatives (Type II)**

Errors cont.

- In NLP we are always dealing with these kinds of errors.
- Reducing the error rate for an application often involves two antagonistic efforts:
 - **Increasing accuracy or precision** (minimizing false positives)
 - **Increasing coverage or recall** (minimizing false negatives).

Summary

- Regular expressions play a surprisingly large role
 - Sophisticated sequences of regular expressions are often the first model for any text processing text
 - I am assuming you know, or will learn, in a language of your choice
- For many hard tasks, we use machine learning classifiers
 - But regular expressions are used as features in the classifiers
 - Can be very useful in capturing generalizations

7

Basic Text Processing

Word tokenization

Text Normalization

- Every NLP task needs to do text normalization:
 1. Segmenting/tokenizing words in running text
 2. Normalizing word formats
 3. Segmenting sentences in running text

How many words?

- I do uh main- mainly business data processing
 - Fragments, filled pauses
- Terminology
 - **Lemma**: same stem, part of speech, rough word sense
 - **cat** and **cats** = same lemma
 - **Wordform**: the full inflected surface form
 - **cat** and **cats** = different wordforms

How many words?

they lay back on the San Francisco grass and looked at the stars and their

- **Type:** an element of the vocabulary.
- **Token:** an instance of that type in running text.
- How many?
 - 15 tokens (or 14)
 - 13 types (or 12) (or 11?)

How many words?

N = number of tokens

V = vocabulary = set of types

$|V|$ is the size of the vocabulary

	Tokens = N	Types = $ V $
Switchboard phone conversations	2.4 million	20 thousand
Shakespeare	884,000	31 thousand
Google N-grams	1 trillion	13 million

Issues in Tokenization

- Finland's capital →
- what're, I'm, isn't →
- state-of-the-art →
- San Francisco →

Issues in Tokenization

- Finland's capital → Finland Finlands Finland's ?
- what're, I'm, isn't → What are, I am, is not
- state-of-the-art → state of the art ?
- San Francisco → one token or two?

Tokenization: language issues

- Chinese and Japanese no spaces between words:
 - 莎拉波娃现在居住在美国东南部的佛罗里达。
 - 莎拉波娃 现在 居住 在 美国 东南部 的 佛罗里达
 - Sharapova now lives in US southeastern Florida

Basic Text Processing

Word Normalization and
Stemming

Normalization

- Need to “normalize” terms
 - Information Retrieval: indexed text & query terms must have same form.
 - We want to match **U.S.A.** and **USA**
- We implicitly define equivalence classes of terms
 - e.g., deleting periods in a term
- Alternative: asymmetric expansion:
 - Enter: *windows* Search: *Windows, windows, window*
- Potentially more powerful, but less efficient

Case folding

- Applications like IR: reduce all letters to lower case
 - Since users tend to use lower case
 - Possible exception: upper case in mid-sentence?
 - e.g., **General Motors**
 - **Fed** vs. **fed**
 - **SAIL** vs. **sail**
- For sentiment analysis, MT, Information extraction
 - Case is helpful (**US** versus **us** is important)

Lemmatization

- Reduce inflections or variant forms to base form
 - *am, are, is* → *be*
 - *car, cars, car's, cars'* → *car*
- *the boy's cars are different colors* → *the boy car be different color*
- Lemmatization: have to find correct dictionary headword form

Morphology

- **Morphemes:**
 - The small meaningful units that make up words
 - **Stems:** The core meaning-bearing units
 - **Affixes:** Bits and pieces that adhere to stems
 - Often with grammatical functions

Stemming

- Reduce terms to their stems in information retrieval
- *Stemming* is crude chopping of affixes
 - language dependent
 - e.g., ***automate(s), automatic, automation*** all reduced to ***automat***.

for example compressed and compression are both accepted as equivalent to compress.



for exampl compress and compress ar both accept as equal to compress

Sentence Segmentation

- !, ? are relatively unambiguous
- Period “.” is quite ambiguous
 - Sentence boundary
 - Abbreviations like Inc. or Dr.
 - Numbers like .02% or 4.3
- Build a binary classifier
 - Looks at a “.”
 - Decides EndOfSentence/NotEndOfSentence
 - Classifiers: hand-written rules, regular expressions, or machine-learning

Minimum Edit Distance

- Not assigned, but fyi, quantifies similarity of two strings
 - Word similarity is useful for spelling correction