



Constraint Satisfaction Problems

Chapter 6

Section 1 – 4



Outline

- Constraint Satisfaction Problems (CSP)
- Constraint Propagation (Inference!)
- Backtracking search for CSPs
- Local search for CSPs



Constraint satisfaction problems (CSPs)


- Standard search problem:
 - **state** is a "black box" – any data structure that supports successor function, heuristic function, and goal test
- CSP:
 - **state** is defined by **variables** X_i with **values** from **domain** D_i
 - **goal test** is a set of **constraints** specifying allowable combinations of values for subsets of variables
- Simple example of a **formal representation language**
- Allows useful **general-purpose** algorithms with more power than standard search algorithms

Example: Map-Coloring



- **Variables** WA, NT, Q, NSW, V, SA, T
- **Domains** $D_i = \{\text{red, green, blue}\}$
- **Constraints:** adjacent regions must have different colors
- e.g., $WA \neq NT$, or $(WA, NT) \in \{(\text{red, green}), (\text{red, blue}), (\text{green, red}), (\text{green, blue}), (\text{blue, red}), (\text{blue, green})\}$


Example: Map-Coloring



- Solutions are **complete** and **consistent** assignments, e.g., WA = red, NT = green, Q = red, NSW = green, V = red, SA = blue, T = green

Constraint graph


- **Binary CSP:** each constraint relates two variables
- **Constraint graph:** nodes are variables, arcs are constraints



Example: N-Queens

■ Formulation 1:

- Variables: X_{ij}
- Domains: $\{0, 1\}$
- Constraints



$$\forall i, j, k \quad (X_{ij}, X_{ik}) \in \{(0, 0), (0, 1), (1, 0)\}$$

$$\forall i, j, k \quad (X_{ij}, X_{kj}) \in \{(0, 0), (0, 1), (1, 0)\}$$

$$\forall i, j, k \quad (X_{ij}, X_{i+k, j+k}) \in \{(0, 0), (0, 1), (1, 0)\}$$

$$\forall i, j, k \quad (X_{ij}, X_{i+k, j-k}) \in \{(0, 0), (0, 1), (1, 0)\}$$

$$\sum_{i,j} X_{ij} = N$$

Example: N-Queens

- Formulation 2:

- Variables: Q_k

- Domains: $\{1, 2, 3, \dots, N\}$


- Constraints:

Implicit: $\forall i, j$ non-threatening(Q_i, Q_j)


-or-

Explicit: $(Q_1, Q_2) \in \{(1, 3), (1, 4), \dots\}$

• • •



Example: Sudoku



- Variables:
 - Each (open) square
- Domains:
 - $\{1,2,\dots,9\}$
- Constraints:

9-way alldiff for each column

9-way alldiff for each row

9-way alldiff for each region



Varieties of CSPs

- Discrete variables

- finite domains:

- n variables, domain size $d \rightarrow O(d^n)$ complete assignments
 - e.g., Boolean CSPs, incl. \sim Boolean satisfiability (NP-complete)

- infinite domains:

- integers, strings, etc.
 - e.g., job scheduling, variables are start/end days for each job
 - need a constraint language, e.g., $StartJob_1 + 5 \leq StartJob_3$

- Continuous variables

- e.g., start/end times for Hubble Space Telescope observations
 - linear constraints solvable in polynomial time by linear programming



Varieties of constraints

- **Unary** constraints involve a single variable,
 - e.g., $SA \neq \text{green}$
- **Binary** constraints involve pairs of variables,
 - e.g., $SA \neq WA$
- **Higher-order** constraints involve 3 or more variables
- **Preferences** (soft constraints):
 - E.g., red is better than green
 - (We'll ignore these until we get to Bayes' nets)



Standard search formulation (incremental)

Let's start with the straightforward approach, then fix it

States are defined by the values assigned so far

- **Initial state:** the empty assignment { }
 - **Successor function:** assign a value to an unassigned variable that does not conflict with current assignment
 - fail if no legal assignments
 - **Goal test:** the current assignment is complete
1. This is the same for all CSPs
 2. Every solution appears at depth n with n variables
 - use depth-first search
 3. Path is irrelevant



Backtracking search

- Variable assignments are **commutative**, i.e.,
[WA = red then NT = green] same as [NT = green then WA = red]
- Only need to consider assignments to a single variable at each node
- Depth-first search for CSPs with single-variable assignments is called **backtracking** search
- Backtracking search is the basic uninformed algorithm for CSPs
- Can solve n -queens for $n \approx 25$


Backtracking example




Backtracking example



Backtracking example



Backtracking example






Improving backtracking efficiency

- **General-purpose** methods can give huge gains in speed:
 - Which variable should be assigned next?
 - In what order should its values be tried?
 - Can we detect inevitable failure early?

Most constrained variable


- Most constrained variable:
choose the variable with the fewest legal values



- a.k.a. **minimum remaining values (MRV)**
heuristic


Most constraining variable

- Tie-breaker among most constrained variables
- Most constraining variable:
 - choose the variable with the most constraints on remaining variables



Least constraining value

- Given a variable, choose the least constraining value:
 - the one that rules out the fewest values in the remaining variables



- Combining these heuristics makes 1000 queens feasible

Forward checking

■ Idea:


- Keep track of remaining legal values for unassigned variables
- Terminate search when any variable has no legal values



Forward checking

■ Idea:


- Keep track of remaining legal values for unassigned variables
- Terminate search when any variable has no legal values



Forward checking

Idea:


- Keep track of remaining legal values for unassigned variables
- Terminate search when any variable has no legal values



Forward checking


Idea:

- Keep track of remaining legal values for unassigned variables
- Terminate search when any variable has no legal values



Constraint propagation


- Forward checking propagates information from assigned to unassigned variables, but doesn't provide early detection for all failures:



- NT and SA cannot both be blue!
- Constraint propagation repeatedly enforces constraints locally


Arc consistency

- Simplest form of propagation makes each arc **consistent**
- $X \rightarrow Y$ is consistent iff
for **every** value x of X there is **some** allowed y




Arc consistency

- Simplest form of propagation makes each arc **consistent**
- $X \rightarrow Y$ is consistent iff
for **every** value x of X there is **some** allowed y



Arc consistency


- Simplest form of propagation makes each arc **consistent**
- $X \rightarrow Y$ is consistent iff
for **every** value x of X there is **some** allowed y



- If X loses a value, neighbors of X need to be rechecked

Arc consistency

- Simplest form of propagation makes each arc **consistent**
- $X \rightarrow Y$ is consistent iff
for **every** value x of X there is **some** allowed y



- If X loses a value, neighbors of X need to be rechecked
- Arc consistency detects failure earlier than forward checking
- Can be run as a preprocessor or after each assignment




Local search for CSPs

- Hill-climbing, simulated annealing typically work with "complete" states, i.e., all variables assigned
- To apply to CSPs:
 - allow states with unsatisfied constraints
 - operators **reassign** variable values
- Variable selection: randomly select any conflicted variable
- Value selection by **min-conflicts** heuristic:
 - choose value that violates the fewest constraints
 - i.e., hill-climb with $h(n)$ = total number of violated constraints

Example: 4-Queens

- **States:** 4 queens in 4 columns ($4^4 = 256$ states)
- **Actions:** move queen in column
- **Goal test:** no attacks
- **Evaluation:** $h(n) =$ number of attacks



- Given random initial state, can solve n -queens in almost constant time for arbitrary n with high probability (e.g., $n = 10,000,000$)



Summary

- CSPs are a special kind of problem:
 - states defined by values of a fixed set of variables
 - goal test defined by constraints on variable values
- Backtracking = depth-first search with one variable assigned per node
- Variable ordering and value selection heuristics help significantly
- Forward checking prevents assignments that guarantee later failure
- Constraint propagation (e.g., arc consistency) does additional work to constrain values and detect inconsistencies
- Iterative min-conflicts is usually effective in practice