

CS 2750 Machine Learning Lecture 7

Linear regression (cont.) Linear methods for classification

Milos Hauskrecht
milos@cs.pitt.edu
5329 Sennott Square

CS 2750 Machine Learning

Coefficient shrinkage

- The least squares estimates often have low bias but high variance
- The prediction accuracy can be often improved by setting some coefficients to zero
 - Increases the bias, reduces the variance of estimates
- **Solutions:**
 - **Subset selection**
 - **Ridge regression**
 - **Principal component regression**
- Next: **ridge regression**

CS 2750 Machine Learning

Ridge regression

- Error function for the standard least squares estimates:

$$J_n(\mathbf{w}) = \frac{1}{n} \sum_{i=1, \dots, n} (y_i - \mathbf{w}^T \mathbf{x}_i)^2$$

- **We seek:** $\mathbf{w}^* = \arg \min_{\mathbf{w}} \frac{1}{n} \sum_{i=1, \dots, n} (y_i - \mathbf{w}^T \mathbf{x}_i)^2$

- **Ridge regression:**

$$J_n(\mathbf{w}) = \frac{1}{n} \sum_{i=1, \dots, n} (y_i - \mathbf{w}^T \mathbf{x}_i)^2 + \lambda \|\mathbf{w}\|^2$$

- Where $\|\mathbf{w}\|^2 = \sum_{i=0}^d w_i^2$ and $\lambda \geq 0$
- What does the new error function do?

Ridge regression

- **Standard regression:**

$$J_n(\mathbf{w}) = \frac{1}{n} \sum_{i=1, \dots, n} (y_i - \mathbf{w}^T \mathbf{x}_i)^2$$

- **Ridge regression:**

$$J_n(\mathbf{w}) = \frac{1}{n} \sum_{i=1, \dots, n} (y_i - \mathbf{w}^T \mathbf{x}_i)^2 + \lambda \|\mathbf{w}\|^2$$

- $\|\mathbf{w}\|^2 = \sum_{i=0}^d w_i^2$ penalizes non-zero weights with the cost proportional to λ (a shrinkage coefficient)
- If an input attribute x_j has a small effect on improving the error function it is “shut down” by the penalty term
- Inclusion of a shrinkage penalty is often referred to as **regularization**

Supervised learning

Data: $D = \{d_1, d_2, \dots, d_n\}$ a set of n examples

$$d_i = \langle \mathbf{x}_i, y_i \rangle$$

\mathbf{x}_i is input vector, and y is desired output (given by a teacher)

Objective: learn the mapping $f : X \rightarrow Y$

$$\text{s.t. } y_i \approx f(x_i) \quad \text{for all } i = 1, \dots, n$$

Two types of problems:

- **Regression:** Y is **continuous**
Example: earnings, product orders \rightarrow company stock price
- **Classification:** Y is **discrete**
Example: temperature, heart rate \rightarrow disease

Today: [binary classification problems:](#)

CS 2750 Machine Learning

Binary classification

- **Two classes** $Y = \{0,1\}$
- Our goal is to learn to classify correctly two types of examples
 - Class 0 – labeled as 0,
 - Class 1 – labeled as 1
- We would like to learn $f : X \rightarrow \{0,1\}$
- **Zero-one error (loss) function**

$$Error_1(\mathbf{x}_i, y_i) = \begin{cases} 1 & f(\mathbf{x}_i, \mathbf{w}) \neq y_i \\ 0 & f(\mathbf{x}_i, \mathbf{w}) = y_i \end{cases}$$

- Error we would like to minimize: $E_{(x,y)}(Error_1(\mathbf{x}, y))$
- **First step:** we need to devise a model of the function


CS 2750 Machine Learning

Discriminant functions

- One convenient way to represent classifiers is through
 - **Discriminant functions**
- Works for binary and multi-way classification
- **Idea:**
 - For every class $i = 0, 1, \dots, k$ define a function $g_i(\mathbf{x})$ mapping $X \rightarrow \mathfrak{R}$
 - When the decision on input \mathbf{x} should be made choose the class with the highest value of $g_i(\mathbf{x})$
- So what happens with the input space? Assume a binary case.


CS 2750 Machine Learning

Discriminant functions




CS 2750 Machine Learning

Discriminant functions



CS 2750 Machine Learning


Discriminant functions



CS 2750 Machine Learning


Discriminant functions

- Define **decision boundary**.



CS 2750 Machine Learning

Quadratic decision boundary



CS 2750 Machine Learning

Logistic regression model


- Defines a linear decision boundary

- Discriminant functions:

$$g_1(\mathbf{x}) = g(\mathbf{w}^T \mathbf{x}) \quad g_0(\mathbf{x}) = 1 - g(\mathbf{w}^T \mathbf{x})$$

- where $g(z) = 1/(1 + e^{-z})$ - is a logistic function

$$f(\mathbf{x}, \mathbf{w}) = g_1(\mathbf{w}^T \mathbf{x}) = g(\mathbf{w}^T \mathbf{x})$$




CS 2750 Machine Learning

Logistic function

function

$$g(z) = \frac{1}{(1 + e^{-z})}$$

- also referred to as a **sigmoid function**
- Replaces the threshold function with smooth switching
- takes a real number and outputs the number in the interval $[0,1]$



CS 2750 Machine Learning

Logistic regression model


- **Discriminant functions:**

$$g_1(\mathbf{x}) = g(\mathbf{w}^T \mathbf{x}) \quad g_0(\mathbf{x}) = 1 - g(\mathbf{w}^T \mathbf{x})$$

- **Where** $g(z) = 1/(1 + e^{-z})$ - is a logistic function
- **Values of discriminant functions vary in [0,1]**

- **Probabilistic interpretation**

$$f(\mathbf{x}, \mathbf{w}) = p(y = 1 | \mathbf{w}, \mathbf{x}) = g_1(\mathbf{x}) = g(\mathbf{w}^T \mathbf{x})$$



CS 2750 Machine Learning

Logistic regression

- Instead of learning the mapping to discrete values $0,1$

$$f : X \rightarrow \{0,1\}$$

- we learn **a probabilistic function**

$$f : X \rightarrow [0,1]$$

- where f describes the probability of class 1 given \mathbf{x}

$$f(\mathbf{x}, \mathbf{w}) = p(y = 1 | \mathbf{x}, \mathbf{w})$$

Note that: $p(y = 0 | \mathbf{x}, \mathbf{w}) = 1 - p(y = 1 | \mathbf{x}, \mathbf{w})$

- Transformation to discrete class values:

If $p(y = 1 | \mathbf{x}) \geq 1/2$ then choose **1**
Else choose **0**

CS 2750 Machine Learning

Linear decision boundary

- Logistic regression model defines a **linear decision boundary**
- **Why?**
- **Answer:** Compare two **discriminant functions**.
- **Decision boundary:** $g_1(\mathbf{x}) = g_0(\mathbf{x})$
- For the boundary it must hold:


$$\log \frac{g_0(\mathbf{x})}{g_1(\mathbf{x})} = \log \frac{1 - g(\mathbf{w}^T \mathbf{x})}{g(\mathbf{w}^T \mathbf{x})} = 0$$

$$\log \frac{g_0(\mathbf{x})}{g_1(\mathbf{x})} = \log \frac{\frac{\exp(-\mathbf{w}^T \mathbf{x})}{1 + \exp(-\mathbf{w}^T \mathbf{x})}}{\frac{1}{1 + \exp(-\mathbf{w}^T \mathbf{x})}} = \log \exp(-\mathbf{w}^T \mathbf{x}) = \mathbf{w}^T \mathbf{x} = 0$$

CS 2750 Machine Learning

Logistic regression model. Decision boundary

- **LR defines a linear decision boundary**
- Example:** 2 classes (blue and red points)



CS 2750 Machine Learning

Logistic regression: parameter learning.

Likelihood of outputs

- Let

$$D_i = \langle \mathbf{x}_i, y_i \rangle \quad \mu_i = p(y_i = 1 | \mathbf{x}_i, \mathbf{w}) = g(z_i) = g(\mathbf{w}^T \mathbf{x}_i)$$

- Then

$$L(D, \mathbf{w}) = \prod_{i=1}^n P(y = y_i | \mathbf{x}_i, \mathbf{w}) = \prod_{i=1}^n \mu_i^{y_i} (1 - \mu_i)^{1-y_i}$$

- Find weights \mathbf{w} that maximize the likelihood of outputs

- Apply the log-likelihood trick The optimal weights are the same for both the likelihood and the log-likelihood

$$\begin{aligned} l(D, \mathbf{w}) &= \log \prod_{i=1}^n \mu_i^{y_i} (1 - \mu_i)^{1-y_i} = \sum_{i=1}^n \log \mu_i^{y_i} (1 - \mu_i)^{1-y_i} = \\ &= \sum_{i=1}^n y_i \log \mu_i + (1 - y_i) \log(1 - \mu_i) \end{aligned}$$

Logistic regression: parameter learning

- Log likelihood

$$l(D, \mathbf{w}) = \sum_{i=1}^n y_i \log \mu_i + (1 - y_i) \log(1 - \mu_i)$$

- Derivatives of the loglikelihood

$$-\frac{\partial}{\partial w_j} l(D, \mathbf{w}) = \sum_{i=1}^n -x_{i,j} (y_i - g(z_i)) \quad \text{Nonlinear in weights !!}$$

$$\nabla_{\mathbf{w}} -l(D, \mathbf{w}) = \sum_{i=1}^n -\mathbf{x}_i (y_i - g(\mathbf{w}^T \mathbf{x}_i)) = \sum_{i=1}^n -\mathbf{x}_i (y_i - f(\mathbf{w}, \mathbf{x}_i))$$

- Gradient descent:

$$\mathbf{w}^{(k)} \leftarrow \mathbf{w}^{(k-1)} - \alpha(k) \nabla_{\mathbf{w}} [-l(D, \mathbf{w})] |_{\mathbf{w}^{(k-1)}}$$

$$\mathbf{w}^{(k)} \leftarrow \mathbf{w}^{(k-1)} + \alpha(k) \sum_{i=1}^n [y_i - f(\mathbf{w}^{(k-1)}, \mathbf{x}_i)] \mathbf{x}_i$$

Logistic regression. Online gradient descent

- On-line component of the loglikelihood

$$- J_{\text{online}}(D_i, \mathbf{w}) = y_i \log \mu_i + (1 - y_i) \log(1 - \mu_i)$$

- On-line learning update for weight \mathbf{w} $J_{\text{online}}(D_k, \mathbf{w})$

$$\mathbf{w}^{(k)} \leftarrow \mathbf{w}^{(k-1)} - \alpha(k) \nabla_{\mathbf{w}} [J_{\text{online}}(D_k, \mathbf{w})] |_{\mathbf{w}^{(k-1)}}$$

- i th update for the logistic regression and $D_k = \langle \mathbf{x}_k, y_k \rangle$

$$\mathbf{w}^{(i)} \leftarrow \mathbf{w}^{(k-1)} + \alpha(k) [y_i - f(\mathbf{w}^{(k-1)}, \mathbf{x}_k)] \mathbf{x}_k$$

Online logistic regression algorithm

Online-logistic-regression (D , number of iterations)

initialize weights $\mathbf{w} = (w_0, w_1, w_2 \dots w_d)$

for $i=1:1$: number of iterations

do select a data point $D_i = \langle \mathbf{x}_i, y_i \rangle$ from D

set $\alpha = 1/i$

update weights (in parallel)


$$\mathbf{w} \leftarrow \mathbf{w} + \alpha(i) [y_i - f(\mathbf{w}, \mathbf{x}_i)] \mathbf{x}_i$$

end for

return weights \mathbf{w}

Online algorithm. Example.


$w_1=0.91773$ $w_2=1.6297$ bias= -0.91898



CS 2750 Machine Learning

Online algorithm. Example.

$w_1=3.5934$ $w_2=6.9126$ bias= -3.6709



CS 2750 Machine Learning

Online algorithm. Example.

$w_1=19.9144$ $w_2=39.7033$ bias=-20.8644

