

**CS 2750 Machine Learning
Lecture 19**

Ensamble methods: Boosting

Milos Hauskrecht
milos@cs.pitt.edu
5329 Sennott Square

CS 2750 Machine Learning

Schedule

Term projects & project presentations:

- April 25: 1:00-4:00pm?
- April 25 & April 27: 1:00 - 2:30pm

CS 2750 Machine Learning

Ensemble methods

- **Mixture of experts**
 - Multiple ‘base’ models (classifiers, regressors), each covers a different part (region) of the input space
- **Committee machines:**
 - Multiple ‘base’ models (classifiers, regressors), each covers the complete input space
 - Each base model is trained on a slightly different train set
 - Combine predictions of all models to produce the output
 - **Goal:** Improve the accuracy of the ‘base’ model
 - **Methods:**
 - **Bagging**
 - **Boosting**
 - Stacking (not covered)

CS 2750 Machine Learning


Bagging algorithm

- **Training**
 - In each iteration t , $t=1, \dots, T$
 - Randomly sample with replacement N samples from the training set
 - Train a chosen “base model” (e.g. neural network, decision tree) on the samples
- **Test**
 - For each test example
 - Start all trained base models
 - Predict by combining results of all T trained models:
 - **Regression:** averaging
 - **Classification:** a majority vote

CS 2750 Machine Learning

Simple Majority Voting

Test examples



CS 2750 Machine Learning

Analysis of Bagging

- **Expected error= Bias+Variance**

- *Expected error* is the expected discrepancy between the estimated and true function

$$E \left[\left(\hat{f}(X) - E[f(X)] \right)^2 \right]$$

- *Bias* is squared discrepancy between *averaged* estimated and true function

$$\left(E[\hat{f}(X)] - E[f(X)] \right)^2$$


- *Variance* is expected divergence of the estimated function vs. its average value

$$E \left[\left(\hat{f}(X) - E[\hat{f}(X)] \right)^2 \right]$$

CS 2750 Machine Learning

When Bagging works? Under-fitting and over-fitting

- **Under-fitting:**
 - High bias (models are not accurate)
 - Small variance (smaller influence of examples in the training set)
- **Over-fitting:**
 - Small bias (models flexible enough to fit well to training data)
 - Large variance (models depend very much on the training set)



CS 2750 Machine Learning

When Bagging works

- **Main property of Bagging** (proof omitted)
 - Bagging **decreases variance** of the base model without changing the bias!!!
 - Why? averaging!
- **Bagging typically helps**
 - When applied with an **over-fitted base model**
 - High dependency on actual training data
- **It does not help much**
 - High bias. When the base model is robust to the changes in the training data (due to sampling)

CS 2750 Machine Learning

Boosting

- **Mixture of experts**
 - One expert per region
 - Expert switching
- **Bagging**
 - Multiple models on the complete space, a learner is not biased to any region
 - Learners are learned independently
- **Boosting**
 - Every learner covers the complete space
 - Learners are biased to regions not predicted well by other learners
 - Learners are dependent

CS 2750 Machine Learning

Boosting. Theoretical foundations.

- **PAC: Probably Approximately Correct framework**
 - **(ϵ - δ) solution**
- **PAC learning:**
 - Learning with the pre-specified error ϵ and confidence δ parameters
 - **the probability that the misclassification error is larger than ϵ is smaller than δ**

$$P(ME(c) > \epsilon) \leq \delta$$

- **Accuracy (1- ϵ):** Percent of correctly classified samples in test
- **Confidence (1- δ):** The probability that in one experiment some accuracy will be achieved

$$P(Acc(c) > 1 - \epsilon) > (1 - \delta)$$

CS 2750 Machine Learning

PAC Learnability

Strong (PAC) learnability:

- There exists a learning algorithm that **efficiently** learns the classification with a pre-specified **accuracy and confidence**

Strong (PAC) learner:

- A learning algorithm P that given an arbitrary
 - classification error ϵ ($< 1/2$), and
 - confidence δ ($< 1/2$)
- Outputs a classifier that satisfies this parameters
 - In other words gives:
 - classification accuracy $> (1-\epsilon)$
 - confidence probability $> (1-\delta)$
 - And runs in time polynomial in $1/\delta, 1/\epsilon$
 - Implies: number of samples N is polynomial in $1/\delta, 1/\epsilon$

Weak Learner

Weak learner:

- A learning algorithm (learner) W
 - Providing a classification accuracy $> 1-\epsilon_0$
 - and probability $> 1-\delta_0$
 - For some **fixed and uncontrollable**
 - error ϵ_0 ($< 1/2$)
 - confidence δ_0 ($< 1/2$)
- And this on an arbitrary distribution of data entries**


Weak learnability=Strong (PAC) learnability

- Assume there exists a **weak learner**
 - it is better than a random guess (50 %) with confidence higher than 50 % on any data distribution
- **Question:**
 - Is problem also PAC-learnable?
 - Can we generate an algorithm P that achieves an arbitrary $(\epsilon-\delta)$ accuracy?
- **Why is important?**
 - Usual classification methods (decision trees, neural nets), have specified, but uncontrollable performances.
 - Can we improve performance to achieve any pre-specified accuracy (confidence)?

Weak=Strong learnability!!!

- **Proof due to R. Schapire**
 - An arbitrary $(\epsilon-\delta)$ improvement is possible
 - **Idea:** combine multiple weak learners together
 - Weak learner W with confidence δ_0 and maximal error ϵ_0
 - It is possible:
 - To improve (boost) the confidence
 - To improve (boost) the accuracy
- by training different weak learners on slightly different datasets

Boosting accuracy Training



CS 2750 Machine Learning

Boosting accuracy

- **Training**

- Sample randomly from the distribution of examples
- Train hypothesis H_1 on the sample
- Evaluate accuracy of H_1 on the distribution
- Sample randomly such that for the half of samples H_1 provides correct, and for another half, incorrect results; Train hypothesis H_2 .
- Train H_3 on samples from the distribution where H_1 and H_2 classify differently


- **Test**

- For each example, decide according to the majority vote of H_1 , H_2 and H_3

CS 2750 Machine Learning

Theorem

- If each hypothesis has an error ϵ_0 , the final classifier has error $< g(\epsilon_0) = 3\epsilon_0^2 - 2\epsilon_0^3$
- **Accuracy improved !!!!**
- **Apply recursively to get to the target accuracy !!!**



CS 2750 Machine Learning

Theoretical Boosting algorithm

- Similarly to boosting the accuracy we can boost the confidence at some restricted accuracy cost
- **The key result:** we can improve both the accuracy and confidence
- **Problems with the theoretical algorithm**
 - A good (better than 50 %) classifier on all data problems
 - We cannot properly sample from data-distribution
 - The method requires a large training set
- **Solution to the sampling problem:**
 - Boosting by sampling
 - **AdaBoost** algorithm and variants

CS 2750 Machine Learning


AdaBoost

- **AdaBoost: boosting by sampling**
- **Classification** (Freund, Schapire; 1996)
 - AdaBoost.M1 (two-class problem)
 - AdaBoost.M2 (multiple-class problem)
- **Regression** (Drucker; 1997)
 - AdaBoostR

AdaBoost

- **Given:**
 - A training set of N examples (attributes + class label pairs)
 - A “base” learning model (e.g. a decision tree, a neural network)
- **Training stage:**
 - Train a sequence of T “base” models on T different sampling distributions defined upon the training set (D)
 - A sample distribution D_t for building the model t is constructed by modifying the sampling distribution D_{t-1} from the $(t-1)$ th step.
 - Examples classified incorrectly in the previous step receive higher weights in the new data (attempts to cover misclassified samples)
- **Application (classification) stage:**
 - **Classify according to the weighted majority** of classifiers

AdaBoost training



CS 2750 Machine Learning

AdaBoost algorithm

Training (step t)

- **Sampling Distribution D_t**

$D_t(i)$ - a probability that example i from the original training dataset is selected

$D_1(i) = 1 / N$ for the first step ($t=1$)

- Take K samples from the training set according to D_t
- Train a classifier h_t on the samples

- Calculate the error ϵ_t of h_t : $\epsilon_t = \sum_{i: h_t(x_i) \neq y_i} D_t(i)$

- Classifier weight: $\beta_t = \epsilon_t / (1 - \epsilon_t)$

- New sampling distribution


$$D_{t+1}(i) = \frac{D_t(i)}{Z_t} \times \begin{cases} \beta_t & h_t(x_i) = y_i \\ 1 & \text{otherwise} \end{cases}$$

Norm. constant

CS 2750 Machine Learning


AdaBoost. Sampling Probabilities

Example: - Nonlinearly separable binary classification
- NN as weak learners



CS 2750 Machine Learning

AdaBoost: Sampling Probabilities



CS 2750 Machine Learning

AdaBoost classification

- We have T different classifiers h_t
 - weight w_t of the classifier is proportional to its accuracy on the training set

$$w_t = \log(1 / \beta_t) = \log((1 - \varepsilon_t) / \varepsilon_t)$$

$$\beta_t = \varepsilon_t / (1 - \varepsilon_t)$$

- **Classification:**

For every class $j=0,1$

- Compute the sum of weights w corresponding to ALL classifiers that predict class j ;
- Output class that correspond to the maximal sum of weights (weighted majority)


$$h_{final}(\mathbf{x}) = \arg \max_j \sum_{t: h_t(\mathbf{x})=j} w_t$$

CS 2750 Machine Learning

Two-Class example. Classification.

- Classifier 1 “yes” 0.7
- Classifier 2 “no” 0.3
- Classifier 3 “no” 0.2

-
- Weighted majority “yes”



- The final choose is “yes” + 1


CS 2750 Machine Learning

What is boosting doing?

- Each classifier specializes on a particular subset of examples
- Algorithm is concentrating on “more and more difficult” examples
- **Boosting can:**
 - Reduce variance (the same as Bagging)
 - But also to eliminate the effect of high bias of the weak learner (unlike Bagging)
- **Train versus test errors performance:**
 - Train errors can be driven close to 0
 - But test errors do not show overfitting
- Proofs and theoretical explanations in **a number of papers**

CS 2750 Machine Learning

Boosting. Error performances



CS 2750 Machine Learning

Bayesian model Averaging

- An alternative to combine multiple models: can be used for supervised and unsupervised frameworks
- **For example:**
 - Likelihood of the data can be expressed by averaging over the multiple models

$$P(D) = \sum_{i=1}^N P(D | M = m_i)P(M = m_i)$$

- Prediction:

$$P(y | x) = \sum_{i=1}^N P(y | x, M = m_i)P(M = m_i)$$