

CS 441 Discrete Mathematics for CS Lecture 8

Sets and set operations: cont. Functions.

Milos Hauskrecht

milos@cs.pitt.edu

5329 Sennott Square

Course administration

Midterm 1:

- Week of October 4, 2009
- Covers chapter 1 and 2.1-2.3 of the textbook
- Closed book
- Tables for equivalences and rules of inference will be given to you

Course web page:

<http://www.cs.pitt.edu/~milos/courses/cs441/>

Set

- **Definition:** A **set** is a (unordered) collection of objects. These objects are sometimes called **elements** or **members** of the set. (Cantor's naive definition)
- **Examples:**
 - **Vowels in the English alphabet**
 $V = \{ a, e, i, o, u \}$
 - **First seven prime numbers.**
 $X = \{ 2, 3, 5, 7, 11, 13, 17 \}$

Sets - review

- **A subset of B:**
 - **A is a subset of B if all elements in A are also in B.**
- **Proper subset:**
 - **A is a proper subset of B, if A is a subset of B and $A \neq B$**
- **A power set:**
 - **The power set of A is a set of all subsets of A**

Sets - review

- **Cardinality:**
 - **The number of elements of in the set**
- **An n-tuple**
 - **An ordered collection of n elements**
- **Cartesian product of A and B**
 - **A set of all pairs such that the first element is in A and the second in B**

Sets operations- review

Set operations:

- **Union of A and B:**
- **Intersection of A and B**
- **Difference of A and B**
- **Complement of A**

Set identities

- **Double complement**
 - $\overline{\overline{A}} = A$
- **Commutative**
 - $A \cup B = B \cup A$
 - $A \cap B = B \cap A$
- **Associative**
 - $A \cup (B \cup C) = (A \cup B) \cup C$
 - $A \cap (B \cap C) = (A \cap B) \cap C$
- **Distributive**
 - $A \cup (B \cap C) = (A \cup B) \cap (A \cup C)$
 - $A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$

Set identities

- **DeMorgan**
 - $\overline{(A \cap B)} = \overline{A} \cup \overline{B}$
 - $\overline{(A \cup B)} = \overline{A} \cap \overline{B}$
- **Absorbion Laws**
 - $A \cup (A \cap B) = A$
 - $A \cap (A \cup B) = A$
- **Complement Laws**
 - $A \cup \overline{A} = U$
 - $A \cap \overline{A} = \emptyset$

Set identities

- Set identities can be proved using **membership tables**.
- List each combination of sets that an element can belong to. Then show that for each such a combination the element either belongs or does not belong to both sets in the identity.
- Prove: $\overline{(A \cap B)} = \overline{A} \cup \overline{B}$

A	B	\overline{A}	\overline{B}	$\overline{A \cap B}$	$\overline{A} \cup \overline{B}$
1	1	0	0	0	0
1	0	0	1	0	0
0	1	1	0	0	0
0	0	1	1	1	1

Generalized unions and intersections

Definition: The **union of a collection of sets** is the set that contains those elements that are members of at least one set in the collection.

$$\bigcup_{i=1}^n A_i = \{A_1 \cup A_2 \cup \dots \cup A_n\}$$

Example:

- Let $A_i = \{1, 2, \dots, i\}$ $i = 1, 2, \dots, n$

-

$$\bigcup_{i=1}^n A_i = \{1, 2, \dots, n\}$$

Generalized unions and intersections

Definition: The **intersection of a collection of sets** is the set that contains those elements that are members of all sets in the collection.

$$\bigcap_{i=1}^n A_i = \{A_1 \cap A_2 \cap \dots \cap A_n\}$$

Example:

- Let $A_i = \{1, 2, \dots, i\}$ $i = 1, 2, \dots, n$

$$\bigcap_{i=1}^n A_i = \{1\}$$

Computer representation of sets

Idea: Assign a bit in a bit string to each element in the universal set and set the bit to 1 if the element is present, otherwise use 0

Example:

All possible elements: $U = \{1, 2, 3, 4, 5\}$

- Assume $A = \{2, 5\}$
 - Computer representation: $A = 01001$
- Assume $B = \{1, 5\}$
 - Computer representation: $B = 10001$

Computer representation of sets

Example:


- $A = 01001$
- $B = 10001$

- The **union** is modeled with a bitwise **or**
- $A \vee B = 11001$
- The **intersection** is modeled with a bitwise **and**
- $A \wedge B = 00001$
- The **complement** is modeled with a bitwise **negation**
- $\overline{A} = 10110$

Functions

Functions


- **Definition:** Let A and B be two sets. A **function from A to B** , denoted $f: A \rightarrow B$, is an assignment of exactly one element of B to each element of A . We write $f(a) = b$ to denote the assignment of b to an element a of A by the function f .



M. Hauskrecht

Functions

- **Definition:** Let A and B be two sets. A **function from A to B** , denoted $f: A \rightarrow B$, is an assignment of exactly one element of B to each element of A . We write $f(a) = b$ to denote the assignment of b to an element a of A by the function f .



Not allowed !!!

M. Hauskrecht

Representing functions

Representations of functions:

1. Explicitly state the assignments in between elements of the two sets
2. Compactly by a formula. (using 'standard' functions)

Example1:

- Let $A = \{1,2,3\}$ and $B = \{a,b,c\}$
- Assume f is defined as:
 - $1 \rightarrow c$
 - $2 \rightarrow a$
 - $3 \rightarrow c$
- Is f a function ?

M. Hausrecht

Representing functions

Representations of functions:

1. Explicitly state the assignments in between elements of the two sets
2. Compactly by a formula. (using 'standard' functions)

Example1:

- Let $A = \{1,2,3\}$ and $B = \{a,b,c\}$
- Assume f is defined as:
 - $1 \rightarrow c$
 - $2 \rightarrow a$
 - $3 \rightarrow c$
- Is f a function ?
- **Yes.** since $f(1)=c$, $f(2)=a$, $f(3)=c$. each element of A is assigned an element from B

M. Hausrecht

Important sets in discrete math

Definitions: Let f be a function from A to B . We say that A is the **domain** of f and B is the **codomain** of f . If $f(a) = b$, we say that **b is the image of a** and **a is a pre-image of b** . **The range of f** is the set of all images of elements of A . Also, if f is a function from A to B , we say f maps A to B .


Example: Let $A = \{1,2,3\}$ and $B = \{a,b,c\}$

- Assume f is defined as: $1 \rightarrow c, 2 \rightarrow a, 3 \rightarrow c$
- What is the image of 1?
- $1 \rightarrow c$ c is the image of 1
- What is the pre-image of a ?
- $2 \rightarrow a$ 2 is a pre-image of a .
- Domain of f ? $\{1,2,3\}$
- Codomain of f ? $\{a,b,c\}$
- Range of f ? $\{a,c\}$

M. Hauskrecht

Image of a subset

Definition: Let f be a function from set A to set B and let S be a subset of A . The image of S is a subset of B that consists of the images of the elements of S . We denote the image of S by $f(S)$, so that $f(S) = \{f(s) \mid s \in S\}$.




Example:

- Let $A = \{1,2,3\}$ and $B = \{a,b,c\}$ and $f: 1 \rightarrow c, 2 \rightarrow a, 3 \rightarrow c$
- Let $S = \{1,3\}$ then image $f(S) = ?$

M. Hauskrecht

Image of a subset

Definition: Let f be a function from set A to set B and let S be a subset of A . The image of S is a subset of B that consists of the images of the elements of S . We denote the image of S by $f(S)$, so that $f(S) = \{ f(s) \mid s \in S \}$.



Example:


- Let $A = \{1,2,3\}$ and $B = \{a,b,c\}$ and $f: 1 \rightarrow c, 2 \rightarrow a, 3 \rightarrow c$
- Let $S = \{1,3\}$ then image $f(S) = \{c\}$.

M. Hauskrecht

Injective function

Definition: A function f is said to be **one-to-one, or injective**, if and only if $f(x) = f(y)$ implies $x = y$ for all x, y in the domain of f . A function is said to be an **injection if it is one-to-one**.

Alternative: A function is one-to-one if and only if $f(x) \neq f(y)$, whenever $x \neq y$. This is the contrapositive of the definition.




M. Hauskrecht

Injective function

Definition: A function f is said to be **one-to-one, or injective**, if and only if $f(x) = f(y)$ implies $x = y$ for all x, y in the domain of f . A function is said to be an **injection if it is one-to-one**.

Alternate: A function is one-to-one if and only if $f(x) \neq f(y)$, whenever $x \neq y$. This is the contrapositive of the definition.



M. Hauskrecht

Injective functions

Example 1: Let $A = \{1,2,3\}$ and $B = \{a,b,c\}$

- Define f as
 - $1 \rightarrow c$
 - $2 \rightarrow a$
 - $3 \rightarrow c$
- Is f one to one? **No**, it is not one-to-one since $f(1) = f(3) = c$, and $1 \neq 3$.

Example 2: Let $g : \mathbb{Z} \rightarrow \mathbb{Z}$, where $g(x) = 2x - 1$.


- Is g is one-to-one (why?)
- **Yes.**
- Suppose $g(a) = g(b)$, i.e., $2a - 1 = 2b - 1 \Rightarrow 2a = 2b$
“ $\Rightarrow a = b$.

M. Hauskrecht

Surjective function

Definition: A function f from A to B is called **onto**, or **surjective**, if and only if for every $b \in B$ there is an element $a \in A$ such that $f(a) = b$.

Alternative: all co-domain elements are covered



M. Hauskrecht

Surjective functions

Example 1: Let $A = \{1,2,3\}$ and $B = \{a,b,c\}$

– Define f as

- $1 \rightarrow c$
- $2 \rightarrow a$
- $3 \rightarrow c$

• Is f an onto?

• **No.** f is not onto, since $b \in B$ has no pre-image.

Example 2: $A = \{0,1,2,3,4,5,6,7,8,9\}$, $B = \{0,1,2\}$

– Define $h: A \rightarrow B$ as $h(x) = x \bmod 3$.


• Is h an onto function?

• **Yes.** h is onto since a pre-image of 0 is 6, a pre-image of 1 is 4, a pre-image of 2 is 8.

M. Hauskrecht

Bijjective functions

Definition: A function f is called a **bijection** if it is **both one-to-one and onto**.



M. Hauskrecht

Bijjective functions

Example 1:

- Let $A = \{1,2,3\}$ and $B = \{a,b,c\}$
 - Define f as
 - $1 \rightarrow c$
 - $2 \rightarrow a$
 - $3 \rightarrow b$
- Is f a bijection? **Yes**. It is both one-to-one and onto.
- **Note:** Let f be a function from a set A to itself, where A is finite. f is one-to-one if and only if f is onto.
- This is not true for A an infinite set. Define $f: \mathbb{Z} \rightarrow \mathbb{Z}$, where $f(z) = 2 * z$. f is one-to-one but not onto (3 has no pre-image).

M. Hauskrecht

Bijjective functions

Example 2:

- Define $g : W \rightarrow W$ (whole numbers), where $g(n) = \lfloor n/2 \rfloor$ (floor function).
 - $0 \rightarrow \lfloor 0/2 \rfloor = \lfloor 0 \rfloor = 0$
 - $1 \rightarrow \lfloor 1/2 \rfloor = \lfloor 1/2 \rfloor = 0$
 - $2 \rightarrow \lfloor 2/2 \rfloor = \lfloor 1 \rfloor = 1$
 - $3 \rightarrow \lfloor 3/2 \rfloor = \lfloor 3/2 \rfloor = 1$
 - ...
- Is g a bijection?
 - **No.** g is onto but not 1-1 ($g(0) = g(1) = 0$ however $0 \neq 1$).